

Recombinant Human Long Arg3 Insulin-like Growth Factor-I

Human, Recombinant (Long-R3-IGF-I)

Expressed in *E. coli*

Cat. No. CRP0805

Lot. No. (See product label)

PRODUCT INFORMATION

Description: Human Long Arg³ Insulin-like Growth Factor-I (Long-R³-IGF-I) is an 83 amino acid analog of human IGF-I comprising the complete human IGF-I sequence with the substitution of an Arg for the Glu at position 3 (hence R³), and a 13 amino acid extension peptide at the N-terminus. Scientists have engineered this analog with the express purpose of increasing biological activity. Human Long-R3-IGF-I is significantly more potent than human IGF-I in vitro. The enhanced potency is due to the markedly decreased binding of human Long-R³-IGF-I to IGF binding proteins which normally inhibit the biological actions of IGFs.

Amino-Acid Sequence: 83 aa (The sequence of the first five N-terminal amino acids was determined and was found to be Met-Phe-Pro-Ala-Met.), non-glycosylated

M. W. : 9,111 Da

Recombinant: Expressed in *E. coli*

Purity: >95% as determined by SDS-PAGE and RP-HPLC.


Formulation: Lyophilized after extensive dialysis against acetic acid buffer.

Specific Activity: The ED50, calculated by the dose-dependant proliferation of murine BALB/C 3T3 cells is less than 1.0 ng/ml, corresponding to a specific activity of 1.0 x 10⁶ IU/mg. For most in-vitro applications, Long-R³-IGF-I exerts its biological activity in the concentration range of 0.2-20 ng/ml.

Endotoxin: Less than 0.1ng/μg (1IEU/μg) of Long-R³-IGF-I.

Reconstitution: It is recommended to reconstitute the lyophilized Long-R³-IGF-I in 500mM acetic acid not less than 100μg/ml, which can then be further diluted to other aqueous solutions.

Storage: Lyophilized Long-R³-IGF-I although stable at room temperature for 3 weeks, should be stored desiccated below -18°C. Upon reconstitution Long-R³-IGF-I should be stored at 4°C between 2-7 days and for future use below -18°C. For long-term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Aliquot to avoid repeated freeze-thaw cycles.



[PDB](#) rendering based on 1bqt.

GENE INFORMATION

Gene Name: [IGF1](#)

Synonyms: IBP1; IGF-IA; IGF-IB; IGF-I; MGF; Somatomedin-C; Insulin-like growth factor IA precursor; Insulin-like growth factor IB precursor; Mechano growth factor; insulin-like growth factor 1; IGF1; insulin-like growth factor 1 (somatomedin C)

mRNA Refseq: [NM_000618.3](#)

Protein Refseq: [NP_000609.1](#)

MIM: [147440](#)

GeneID: [3479](#)

UniProt ID: P01343; P05019

Chromosome Location: 12q22-q23

Pathway: Focal adhesion, Glioma, Long-term depression, Melanoma, Prostate cancer, mTOR signaling pathway

Function: growth factor activity, hormone activity, insulin-like growth factor receptor binding, prothoracicotrophic hormone activity

REFERENCES

1. Velcheti V, Govindan R (2006). Insulin-like growth factor and lung cancer. Journal of thoracic oncology : official publication of the International Association for the Study of Lung Cancer 1 (7): 607-10.
2. Scarth J (2006). Modulation of the growth hormone-insulin-like growth factor (GH-IGF) axis by pharmaceutical, nutraceutical and environmental xenobiotics: an emerging role for xenobiotic-metabolizing enzymes and the transcription factors regulating their expression. A review". Xenobiotica 36 (2-3): 119-218.

FOR RESEARCH USE ONLY

Creative Biolabs All rights reserved.

45-16 Ramsey Road Shirley, NY 11967, USA
Technical Support: T: 631-871-5806 · F: 631-207-8356
E-mail: info@creative-biolabs.com
www.creative-biolabs.com