

Product Information

Recombinant Human Anti-Human uPA Monoclonal Antibody

Cat. No.: **HOM-19492**

This product is for research use only and is not intended for diagnostic use.

Product Overview

Recombinant humanized antibody expressed in CHO binding to human uPA.

Antigen Description

This gene encodes a serine protease involved in degradation of the extracellular matrix and possibly tumor cell migration and proliferation. A specific polymorphism in this gene may be associated with late-onset Alzheimer's disease and also with decreased affinity for fibrin-binding. This protein converts plasminogen to plasmin by specific cleavage of an Arg-Val bond in plasminogen. Plasmin in turn cleaves this protein at a Lys-Ile bond to form a two-chain derivative in which a single disulfide bond connects the amino-terminal A-chain to the catalytically active, carboxy-terminal B-chain. This two-chain derivative is also called HMW-uPA (high molecular weight uPA). HMW-uPA can be further processed into LMW-uPA (low molecular weight uPA) by cleavage of chain A into a short chain A (A1) and an amino-terminal fragment. LMW-uPA is proteolytically active but does not bind to the uPA receptor. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. (provided by RefSeq, Feb 2009)

Target

Plau

Species Reactivity

Human

Type

Human IgG

Expression Host

CHO

Clone

Monoclonal

Purity

>95.0% as determined by analysis by RP-HPLC & analysis by SDS-PAGE.

Applications

ELISA, WB, IHC, FCM, IP, IF. Optimal dilutions/concentrations should be determined by the end user.

Molecular Weight

145.41 kDa

Stability

Samples are stable for up to twelve months from date of receipt at -20 °C and are stable for six months at 4 °C.

Storage

Store it under sterile conditions at -20 °C upon receiving. Recommend to pack the antibody into smaller quantities for optimal storage.

Ship

2-8°C, BLUE ICE

ANTIGEN GENE INFORMATION**Gene Name**

[PLAU plasminogen activator, urokinase \[Homo sapiens \]](#)

Official Symbol

Plau

Synonyms

PLAU; plasminogen activator, urokinase; urokinase-type plasminogen activator; UPA; URK; U-plasminogen activator; plasminogen activator, urinary; ATF; QPD; u-PA; BDPLT5;

Gene ID

[5328](#)

mRNA Refseq

[NM_001145031](#)

Protein Refseq

[NP_001138503](#)

MIM

[191840](#)

UniProt ID

P00749

Chromosome Location

10q24

Pathway

ATF-2 transcription factor network, organism-specific biosystem; Blood Clotting Cascade, organism-specific biosystem; Complement and Coagulation Cascades, organism-specific biosystem; Complement and coagulation cascades, organism-specific biosystem; Complement and coagulation cascades, conserved biosystem; DNA damage response (only ATM dependent), organism-specific biosystem; Dissolution of Fibrin Clot, organism-specific biosystem;

Function

peptidase activity; protein binding; serine-type endopeptidase activity;