

Product Information

Recombinant Anti-Human cd3 Antibody scFv Fragment

Cat. No.: **MOM-18160-S(P)**

This product is for research use only and is not intended for diagnostic use.

Product Overview

Recombinant Chimeric /Humanized hybrid Antibody scFv Fragment is against Human CD3, expressed in E. coli

Antigen Description

In immunology, the CD3 (cluster of differentiation 3) T-cell co-receptor is a protein complex and is composed of four distinct chains. In mammals, the complex contains a CD3 γ chain, a CD3 δ chain, and two CD3 ϵ chains. These chains associate with a molecule known as the T-cell receptor (TCR) and the ζ -chain to generate an activation signal in T lymphocytes. The TCR, ζ -chain, and CD3 molecules together comprise the TCR complex.

Specific Activity

Tested positive against native antigen.

Target

CD3

Immunogen

The details of the immunogen for this antibody are not available.

Source

Chimeric /Humanized hybrid

Species Reactivity

Human

Type

scFv

Expression Host

E. coli

Purity

>95.0% as determined by analysis by RP-HPLC.

Applications

Suitable for use in ELISA, WB, Neut and most other immunological methods.

Storage

Store at -20°C. Avoid multiple freeze/thaw cycles.

ANTIGEN GENE INFORMATION

Gene Name

Official Symbol

CD3D

Synonyms

CD3D; CD3d molecule, delta (CD3-TCR complex); T3D; CD3-DELTA; T-cell surface glycoprotein CD3 delta chain; CD3 delta; OKT3, delta chain; CD3 antigen, delta subunit; T-cell receptor T3 delta chain; CD3d antigen, delta polypeptide (TiT3 complex); CD3d antigen

Gene ID

[915](#)

mRNA Refseq

[NM_000732](#)

Protein Refseq

[NP_000723](#)

MIM

[186790](#)

UniProt ID

P04234

Chromosome Location

11q23

Pathway

Adaptive Immune System; CXCR4-mediated signaling events; Chagas disease (American trypanosomiasis); Costimulation by the CD28 family; Downstream TCR signaling; Downstream signaling in naive CD8+ T cells; Generation of second messenger molecules;

Function

protein heterodimerization activity; transcription coactivator activity; transmembrane signaling receptor activity