

Product Information

Recombinant Anti-Human ccr5 Antibody Fab Fragment

Cat. No.: MOM-18304-F(E)

This product is for research use only and is not intended for diagnostic use.

Product Overview

Recombinant Mouse Antibody Fab Fragment specifically binds to Human CCR5, expressed in Chinese Hamster Ovary cells(CHO)

Antigen Description

Receptor for a number of inflammatory CC-chemokines including MIP-1-alpha, MIP-1-beta and RANTES and subsequently transduces a signal by increasing the intracellular calcium ion level. May play a role in the control of granulocytic lineage proliferation or differentiation. Acts as a coreceptor (CD4 being the primary receptor) for HIV-1 R5 isolates.

Specific Activity

Tested positive against native antigen.

Target

CCR5

Source

Mouse

Species Reactivity

Human

Type

Fab

Expression Host

CHO

Purity

>95%, by SDS-PAGE with silver staining, under reducing conditions.

Applications

Suitable for use in FC, IP, ELISA, Neut, FuncS, IF and most other immunological methods.

Storage

Store it under sterile conditions at -20°C upon receiving. Recommend to pack the protein into smaller quantities for optimal storage.

ANTIGEN GENE INFOMATION

Gene Name

CCR5 chemokine (C-C motif) receptor 5 (gene/pseudogene) [Homo sapiens]

Official Symbol

CCR5

Synonyms

CCR5; chemokine (C-C motif) receptor 5 (gene/pseudogene); chemokine (C C motif) receptor 5, CMKBR5; C-C chemokine receptor type 5; CC CKR 5; CD195; CKR 5; CKR5; IDDM22; chemr13; HIV-1 fusion coreceptor; chemokine receptor CCR5; C-C motif chemokine receptor 5 A159A; CCR-5; CKR-5; CCCKR5; CMKBR5; CC-CKR-5; FLJ78003

Gene ID

1234

mRNA Refseq

NM 000579

Protein Refseq

NP 000570

MIM

601373

UniProt ID

P51681

Chromosome Location

3p21

Pathway

Binding and entry of HIV virion, organism-specific biosystem; Chemokine receptors bind chemokines, organism-specific biosystem; Chemokine signaling pathway, organism-specific biosystem; Chemokine signaling pathway, conserved biosystem; Class A/1 (Rhodopsin-like receptors), organism-specific biosystem; Cytokine-cytokine receptor interaction, organism-specific biosystem; Cytokine-cytokine receptor interaction, conserved biosystem;

Function

C-C chemokine binding; C-C chemokine receptor activity; C-C chemokine receptor activity; G-protein coupled receptor activity; actin binding; chemokine (C-C motif) ligand 5 binding; chemokine receptor activity; coreceptor activity; phosphatidylinositol phospholipase C activity; protein binding; receptor activity; signal transducer activity;