

# **Product Information**

# MemDX™ Antibody Discovery - Human GPA33 (22-235) Membrane Protein, Partial, -His tag, [Biotin]

Cat. No.: MP0188F

This product is for research use only and is not intended for diagnostic use.

This membrane protein is Human GPA33 (22-235). It has been tested in SDS-PAGE, ELISA. We provide this protein to facilitate your membrane protein antibody discovery and development.

# **Product Specifications**

# **Host Species**

Human

#### **Target Protein**

GPA33

# **Protein Length**

**ECD** 

# **Molecular Weight**

The protein has a calculated MW of 24.4 kDa. The protein migrates as 33-40 kDa under reducing (R) condition (SDS-PAGE) due to glycosylation.

#### Sequence

AA Ile 22 - Val 235 (Accession # AAH74830).

# **Product Description**

# **Activity**

Yes

# **Application**

SDS-PAGE, ELISA

# **Expression Systems**

**HEK293** 

# Tag

His tag at the C-terminus

#### **Protein Format**

Soluble

**Form** 

# LYOPH

#### Reconstitution

Please see Certificate of Analysis for specific instructions.

#### **Endotoxin**

<1.0 EU/µg by the LAL method

#### Conjugation

**Biotin** 

# **Purity**

>95% as determined by SDS-PAGE.

#### **Buffer**

Lyophilized from 0.22 µm filtered solution in PBS, pH7.4. Normally trehalose is added as protectant before lyophilization.

# Storage

Stored at lyophilized form at -20°C or lower. Avoid repeated freeze-thaw cycles.

The antigen can be stable for 12 months in lyophilized form after storage at -20°C to -80°C, 3 months under sterile coditions after reconstitution after storage at -80°C.

# **Target**

# **Target Protein**

GPA33

# **Full Name**

glycoprotein A33

# Introduction

The glycoprotein encoded by this gene is a cell surface antigen that is expressed in greater than 95% of human colon cancers. The open reading frame encodes a 319-amino acid polypeptide having a putative secretory signal sequence and 3 potential glycosylation sites. The predicted mature protein has a 213-amino acid extracellular region, a single transmembrane domain, and a 62-amino acid intracellular tail. The sequence of the extracellular region contains 2 domains characteristic of the CD2 subgroup of the immunoglobulin (Ig) superfamily.

#### **Alternative Names**

GPA33, glycoprotein A33 (transmembrane), cell surface A33 antigen, A33, transmembrane glycoprotein A33, MGC129986, MGC129987,

# Gene ID

10223

# **UniProt ID**

Q99795