

# **Product Information**

# MemDX™ Antibody Discovery - Mouse GPA33 (22-235) Membrane Protein, Partial, -His tag

Cat. No.: MP0189F

This product is for research use only and is not intended for diagnostic use.

This membrane protein is Mouse GPA33 (22-235). It has been tested in SDS-PAGE. We provide this protein to facilitate your membrane protein antibody discovery and development.

# **Product Specifications**

# **Host Species**

Mouse

#### **Target Protein**

GPA33

# **Protein Length**

**ECD** 

## **Molecular Weight**

The protein has a calculated MW of 24.7 kDa. The protein migrates as 33-42 kDa under reducing (R) condition (SDS-PAGE) due to glycosylation.

## Sequence

AA Leu 22 - Ile 235 (Accession # Q99795-1).

# **Product Description**

# **Application**

SDS-PAGE

# **Expression Systems**

**HEK293** 

#### Tag

His tag at the C-terminus

#### **Protein Format**

Soluble

#### **Form**

LYOPH

#### Reconstitution

Please see Certificate of Analysis for specific instructions.

#### **Endotoxin**

<1.0 EU/µg by the LAL method

#### Purity

>95% as determined by SDS-PAGE.

#### **Buffer**

Lyophilized from 0.22 µm filtered solution in PBS, pH7.4. Normally trehalose is added as protectant before lyophilization.

#### **Storage**

Stored at lyophilized form at -20°C or lower. Avoid repeated freeze-thaw cycles.

The antigen can be stable for 12 months in lyophilized form after storage at -20°C to -80°C, 3 months under sterile coditions after reconstitution after storage at -80°C.

# **Target**

#### **Target Protein**

GPA33

#### **Full Name**

glycoprotein A33

#### Introduction

The glycoprotein encoded by this gene is a cell surface antigen that is expressed in greater than 95% of human colon cancers. The open reading frame encodes a 319-amino acid polypeptide having a putative secretory signal sequence and 3 potential glycosylation sites. The predicted mature protein has a 213-amino acid extracellular region, a single transmembrane domain, and a 62-amino acid intracellular tail. The sequence of the extracellular region contains 2 domains characteristic of the CD2 subgroup of the immunoglobulin (Ig) superfamily.

#### **Alternative Names**

GPA33, glycoprotein A33 (transmembrane), cell surface A33 antigen, mA33, A33 antigen, BB116197, 2010310L10Rik, 2210401D16Rik,

# Gene ID

<u>59290</u>

#### **UniProt ID**

Q9JKA5