

Product Information

MemDX™ Membrane Protein Human FOLH1 (Folate hydrolase 1) Full Length

Cat. No.: **MPC2839K**

This product is for research use only and is not intended for diagnostic use.

This product is a made-to-order Human FOLH1 membrane protein expressed in HEK293. The protein is for research use only and is not approved for use in humans or in clinical diagnosis.

Product Specifications

Host Species

Human

Target Protein

FOLH1

Protein Length

Full length

Protein Class

Protease

TMD

1

Sequence

MWNLLHETDSAVATARRPRWLCAGALVLAGGFFLLGFLFGWFIKSSNEAT
NITPKHNMKAFLDELKAENIKKFLYNFTQIPHLAGTEQNFQLAKQIQSQW
KEFGLDSVELAHYDVLLSYPNKTHPNYISIINEDGNEIFNTSLFEP PPPG
YENVSDIVPPFSAFSPQGMPEGDLVYVNYARTEDFFKLERDMKINCSGKI
VIARYGKVFRGNKVKNAQLAGAKGVILYSDPADYFAPGVKSYPDGWNLPG
GGVQRGNILNLNGAGDPLTPGYPAN EYAYRRGIAEAVGLPSIPVHPIGYY
DAQKLEKMGG SAPPDSSWRGSLKVPYNVGP GFTGNFSTQKVKMHIHSTN
EVTRIYNVIGTLRGAVEPDRYVILGGHRDSWVFGGIDPQSGAAVVHEIVR
SFGTLKKEGWRPRRTILFASWDAEEFGLLGSTEWAEENSRLQERGVAYI
NADSSIEGNYTLRVDCTPLMYSLVHNLTKE LKSPDEGFEGKSLYESWTKK
SPSPEFSGMPRISKLGSGNDFEVFFQRLG IASGRARYTKNWETNKFSGYP
LYHSVYETYELVEKFYDPMFKYHLTVAQVRGGMVFELANSIVLPFDCRDY
AVVLRKYADKIYSISMKHPQEMKTYSVSFD SLFSAVKNFTEIASKFSERL
QDFDKSNPIVLRMMNDQLMFLERAFIDPLGLPDRPFYRHVIYAPSSH NKY
AGESFPGIYDALFDIESKVDP SKAWGEVKRQIYVAAFTVQAAAETLSEVA

Product Description

Expression Systems

HEK293

Tag

Based on specific requirements

Protein Format

Detergent or based on specific requirements (Detergent, Liposome, Nanodisc, Polymer, VLP)

Form

Liquid

Storage

Aliquot and store at -20°C or lower. For long term storage, we recommend to store at -72°C or lower. Avoid freeze/thaw cycles.

Target**Target Protein**

FOLH1

Full Name

Folate hydrolase 1

Introduction

This gene encodes a type II transmembrane glycoprotein belonging to the M28 peptidase family. The protein acts as a glutamate carboxypeptidase on different alternative substrates, including the nutrient folate and the neuropeptide N-acetyl-L-aspartyl-L-glutamate and is expressed in a number of tissues such as prostate, central and peripheral nervous system and kidney. A mutation in this gene may be associated with impaired intestinal absorption of dietary folates, resulting in low blood folate levels and consequent hyperhomocysteinemia. Expression of this protein in the brain may be involved in a number of pathological conditions associated with glutamate excitotoxicity. In the prostate the protein is up-regulated in cancerous cells and is used as an effective diagnostic and prognostic indicator of prostate cancer. This gene likely arose from a duplication event of a nearby chromosomal region. Alternative splicing gives rise to multiple transcript variants encoding several different isoforms.

Alternative Names

FOLH1; PSM; FGCP; FOLH; GCP2; PSMA; mGCP; GCPII; NAALAD1; NAALAdase; glutamate carboxypeptidase 2; N-acetylated alpha-linked acidic dipeptidase 1; N-acetylated-alpha-linked acidic dipeptidase I; NAALADase I; cell growth-inhibiting gene 27 protein; folylpoly-gamma-glutamate carboxypeptidase; glutamate carboxylase II; glutamate carboxypeptidase II; membrane glutamate carboxypeptidase; prostate specific membrane antigen variant F; pteroylpoly-gamma-glutamate carboxypeptidase; Folate hydrolase 1

Gene ID

[2346](#)

UniProt ID

[Q04609](#)