

Product Information

MemDX™ Human CD274 MiaPaCa2 Cell Line

Cat. No.: **S01YF-0123-KX138**

This product is for research use only and is not intended for diagnostic use.

Product Information

Target Protein

CD274

Target Protein Species

Human

Accession Number

NM_014143.3

Protein Tag

Tag-free

Host Cell Type

MiaPaCa2

Target Classification

Immune Checkpoint

Target Family

Immune Checkpoint

Target Research Area

Autoimmune Research; Cancer Research; Immunology Research

Related Diseases

Lymphoepithelioma-Like Carcinoma; Pleomorphic Carcinoma

Product Properties

Morphology

Fibroblastoid cells growing as a monolayer

Assay Types

Drug screening and biological assays

Resistance

Puromycin

Mycoplasma Testing

Negative

Sterility Testing

10 passages

Biosafety Level

Level 1

Activity

Yes

Quantity

5x10⁶ cells

Form

Frozen cells

Freeze Medium

70% RPMI 1640 + 20% FBS + 10% DMSO

Culture Medium

RPMI 1640 + 10% FBS + 1µg/mL Puromycin

Selective Antibiotic(s)

Regular antibiotics active against mycoplasmas, bacteria and fungi.

Handling Notes

Frozen cells should be thawed immediately upon receipt and grown according to handling procedure to ensure cell viability and proper assay performance.

Note: Do not freeze the cells upon receipt as it may result in irreversible damage to the cell line.

Disclaimer: We cannot guarantee cell viability if the cells are not thawed immediately upon receipt and grown according to handling procedure.

Incubation

37°C with 5% CO₂

Applications

Drug screening and biological assays

Application Notes

Cells were plated in a 384-well plate and incubated overnight at 37°C and 5% CO₂ to allow the cells to attach and grow. Cells were then stimulated with a control for high-throughput drugs screening and functional assays.

Use Restrictions

These cells are distributed for research use only.

Shipping

Dry ice

Storage

Liquid nitrogen

Target

Full Name

Introduction

This gene encodes an immune inhibitory receptor ligand that is expressed by hematopoietic and non-hematopoietic cells, such as T cells and B cells and various types of tumor cells. The encoded protein is a type I transmembrane protein that has immunoglobulin V-like and C-like domains. Interaction of this ligand with its receptor inhibits T-cell activation and cytokine production. During infection or inflammation of normal tissue, this interaction is important for preventing autoimmunity by maintaining homeostasis of the immune response. In tumor microenvironments, this interaction provides an immune escape for tumor cells through cytotoxic T-cell inactivation. Expression of this gene in tumor cells is considered to be prognostic in many types of human malignancies, including colon cancer and renal cell carcinoma. Alternative splicing results in multiple transcript variants.

Alternative Names

CD274; B7-H; B7H1; PDL1; PD-L1; hPD-L1; PDCD1L1; PDCD1LG1; programmed cell death 1 ligand 1; B7 homolog 1; CD274 antigen; PDCD1 ligand 1; CD274 molecule

Gene ID

[29126](#)

UniProt ID

[Q9NZQ7](#)