

Product Information

MemDX™ Human LILRB2 3A9 Cell Line

Cat. No.: **S01YF-0123-KX162**

This product is for research use only and is not intended for diagnostic use.

Product Information

Target Protein

LILRB2

Target Protein Species

Human

Accession Number

NM_005874.5

Protein Tag

Tag-free

Host Cell Type

3A9

Target Classification

Oncology

Target Family

Oncology

Target Research Area

CNS Research; Immunology Research; Infectious Research

Related Diseases

Hymenolepiasis

Product Properties

Morphology

Suspension

Assay Types

Drug screening and biological assays

Resistance

Puromycin

Mycoplasma Testing

Negative

Sterility Testing

10 passages

Biosafety Level

Level 1

Activity

Yes

Quantity

5x10⁶ cells

Form

Frozen cells

Freeze Medium

70% RPMI 1640 + 20% FBS + 10% DMSO

Culture Medium

RPMI 1640 + 10% FBS + 1µg/mL Puromycin

Selective Antibiotic(s)

Regular antibiotics active against mycoplasmas, bacteria and fungi.

Handling Notes

Frozen cells should be thawed immediately upon receipt and grown according to handling procedure to ensure cell viability and proper assay performance.

Note: Do not freeze the cells upon receipt as it may result in irreversible damage to the cell line.

Disclaimer: We cannot guarantee cell viability if the cells are not thawed immediately upon receipt and grown according to handling procedure.

Incubation

37°C with 5% CO₂

Applications

Drug screening and biological assays

Application Notes

Cells were plated in a 384-well plate and incubated overnight at 37°C and 5% CO₂ to allow the cells to attach and grow. Cells were then stimulated with a control for high-throughput drugs screening and functional assays.

Use Restrictions

These cells are distributed for research use only.

Shipping

Dry ice

Storage

Liquid nitrogen

Target

Full Name

Introduction

This gene is a member of the leukocyte immunoglobulin-like receptor (LIR) family, which is found in a gene cluster at chromosomal region 19q13.4. The encoded protein belongs to the subfamily B class of LIR receptors which contain two or four extracellular immunoglobulin domains, a transmembrane domain, and two to four cytoplasmic immunoreceptor tyrosine-based inhibitory motifs (ITIMs). The receptor is expressed on immune cells where it binds to MHC class I molecules on antigen-presenting cells and transduces a negative signal that inhibits stimulation of an immune response. It is thought to control inflammatory responses and cytotoxicity to help focus the immune response and limit autoreactivity. Multiple transcript variants encoding different isoforms have been found for this gene.

Alternative Names

LILRB2; ILT4; LIR2; CD85D; ILT-4; LIR-2; MIR10; MIR-10; leukocyte immunoglobulin-like receptor subfamily B member 2; CD85 antigen-like family member D; Ig-like transcript 4; leucocyte Ig-like receptor B2; leukocyte immunoglobulin-like receptor, subfamily B (with TM and ITIM domains), member 2; monocyte/macrophage immunoglobulin-like receptor 10; myeloid inhibitory receptor 10; Leukocyte immunoglobulin like receptor B2

Gene ID

[10288](#)

UniProt ID

[Q8N423](#)