

# **Product Information**

# MemDX™ Human EPCAM CT26 Cell Line

Cat. No.: S01YF-0123-KX194

This product is for research use only and is not intended for diagnostic use.

#### **Product Information**

**Target Protein** 

**EPCAM** 

**Target Protein Species** 

Human

**Accession Number** 

NM\_002354.3

**Protein Tag** 

Tag-free

**Host Cell Type** 

**CT26** 

**Target Classification** 

Immune Checkpoint

**Target Family** 

Immune Checkpoint

**Target Research Area** 

Cancer Research; Metabolic Research

**Related Diseases** 

Diarrhea; Colorectal Cancer

# **Product Properties**

# Morphology

Fibroblastoid cells growing as a monolayer

**Assay Types** 

Drug screening and biological assays

Resistance

Puromycin

**Mycoplasma Testing** 

#### Negative

# **Sterility Testing**

10 passages

## **Biosafety Level**

Level 1

#### **Activity**

Yes

# Quantity

5x106 cells

#### **Form**

Frozen cells

## Freeze Medium

70% RPMI 1640 + 20% FBS + 10% DMSO

### **Culture Medium**

RPMI 1640 + 10% FBS + 10µg/mL Puromycin

## Selective Antibiotic(s)

Regular antibiotics active against mycoplasmas, bacteria and fungi.

# **Handling Notes**

Frozen cells should be thawed immediately upon receipt and grown according to handling procedure to ensure cell viability and proper assay performance.

Note: Do not freeze the cells upon receipt as it may result in irreversible damage to the cell line.

Disclaimer: We cannot guarantee cell viability if the cells are not thawed immediately upon receipt and grown according to handling procedure.

#### Incubation

37°C with 5% CO₂

## **Applications**

Drug screening and biological assays

# **Application Notes**

Cells were plated in a 384-well plate and incubated overnight at 37°C and 5% CO<sub>2</sub> to allow the cells to attach and grow. Cells were then stimulated with a control for high-throughput drugs screening andfunctional assays.

## **Use Restrictions**

These cells are distributed for research use only.

#### Shipping

Dry ice

### **Storage**

Liquid nitrogen

# **Target**

# **Full Name**

### Epithelial cell adhesion molecule

### Introduction

This gene encodes a carcinoma-associated antigen and is a member of a family that includes at least two type I membrane proteins. This antigen is expressed on most normal epithelial cells and gastrointestinal carcinomas and functions as a homotypic calcium-independent cell adhesion molecule. The antigen is being used as a target for immunotherapy treatment of human carcinomas. Mutations in this gene result in congenital tufting enteropathy.

#### **Alternative Names**

EPCAM; ESA; KSA; M4S1; MK-1; DIAR5; EGP-2; EGP40; KS1/4; MIC18; TROP1; EGP314; HNPCC8; TACSTD1; adenocarcinoma-associated antigen; cell surface glycoprotein Trop-1; epithelial glycoprotein 314; human epithelial glycoprotein-2; major gastrointestinal tumor-associated protein GA733-2; membrane component, chromosome 4, surface marker (35kD glycoprotein); trophoblast cell surface antigen 1; tumor-associated calcium signal transducer 1; Epithelial cell adhesion molecule

Gene ID

4072

**UniProt ID** 

P16422