

Product Information

MemDX™ Human ERBB2 MC-38 Cell Line

Cat. No.: **S01YF-0324-KX116**

This product is for research use only and is not intended for diagnostic use.

Product Information

Target Protein

ERBB2

Target Protein Species

Human

Host Cell Type

MC-38

Target Classification

Kinases/Enzyme

Target Family

Kinases/Enzyme

Target Research Area

Cancer Research

Related Diseases

Visceral Neuropathy; Glioma Susceptibility

Product Properties

Assay Types

Functional assay and biological assay

Mycoplasma Testing

Negative

Biosafety Level

Level 1

Activity

Expression verification; tumorigenicity verification

Form

Frozen cells

Freeze Medium

70% RPMI 1640 + 20% FBS + 10% DMSO

Culture Medium

RPMI 1640 + 10% FBS

Selective Antibiotic(s)

Regular antibiotics active against mycoplasmas, bacteria and fungi.

Handling Notes

Frozen cells should be thawed immediately upon receipt and grown according to handling procedure to ensure cell viability and proper assay performance.

Note: Do not freeze the cells upon receipt as it may result in irreversible damage to the cell line.

Disclaimer: We cannot guarantee cell viability if the cells are not thawed immediately upon receipt and grown according to handling procedure.

Incubation

37°C with 5% CO₂

Applications

Drug screening and biological assays

Application Notes

Cells were plated in a 384-well plate and incubated overnight at 37°C and 5% CO₂ to allow the cells to attach and grow. Cells were then stimulated with a control for high-throughput drugs screening and functional assays.

Use Restrictions

These cells are distributed for research use only.

Shipping

Dry ice

Storage

Liquid nitrogen

Target

Full Name

Erb-b2 receptor tyrosine kinase 2

Introduction

This gene encodes a member of the epidermal growth factor (EGF) receptor family of receptor tyrosine kinases. This protein has no ligand binding domain of its own and therefore cannot bind growth factors. However, it does bind tightly to other ligand-bound EGF receptor family members to form a heterodimer, stabilizing ligand binding and enhancing kinase-mediated activation of downstream signalling pathways, such as those involving mitogen-activated protein kinase and phosphatidylinositol-3 kinase. Allelic variations at amino acid positions 654 and 655 of isoform a (positions 624 and 625 of isoform b) have been reported, with the most common allele, Ile654/Ile655, shown here. Amplification and/or overexpression of this gene has been reported in numerous cancers, including breast and ovarian tumors. Alternative splicing results in several additional transcript variants, some encoding different isoforms and others that have not been fully characterized.

Alternative Names

ERBB2; NEU; NGL; HER2; TKR1; CD340; HER-2; MLN 19; HER-2/neu; receptor tyrosine-protein kinase erbB-2; c-erb B2/neu protein; herstatin; human epidermal growth factor receptor 2; metastatic lymph node gene 19 protein; neuro/glioblastoma derived oncogene homolog; neuroblastoma/glioblastoma derived oncogene homolog; proto-oncogene Neu; proto-oncogene c-ErbB-2; tyrosine kinase-type cell surface receptor HER2; v-erb-b2 avian erythroblastic leukemia viral oncogene homolog 2; v-erb-b2 avian erythroblastic leukemia viral oncoprotein 2; v-erb-b2 erythroblastic

leukemia viral oncogene homolog 2, neuro/glioblastoma derived oncogene homolog; Erb-b2 receptor tyrosine kinase 2

Gene ID

2064

UniProt ID

P04626